



## Bobcat T110

### Engine

Emissions Tier (EPA)	Interim Tier 4
Engine Cooling	Liquid
Engine Fuel	Diesel
Horsepower	41.8 hp
Engine Model	V2403- MD1- E3
Engine Make	Kubota
Displacement	148 in <sup>3</sup>
Torque RPM	1,400 rpm
Number of Cylinders	4
Maximum Governed RPM	2,800 rpm

### Performance

Rated Operating Capacity (SAE)	1,100 lb
Operating Capacity (50% of Tip)	1595 lb
Rated Operating Capacity (35% Of Tip)	1100 lb
Tipping Load	3190 lb
Operating Weight	5202 lb
Travel Speed	5.2 mph
Travel Speed (2- speed option)	8.4 mph
Ground Pressure (Rubber)	4.6 psi
Travel Speed - Low	5.2 mph
Travel Speed - High	8.4 mph

### Capacities

Fuel Tank	11.9 gal
-----------	----------

### Hydraulic System

System Relief @ Quick Couplers	3,000 psi
Auxiliary Std Flow	12.5 gal/ min
Auxiliary High Flow	n/ a
Number of TIR Cylinders	1

### General

Contract Codes	Compact Track Loader
First Year of Production	2009

### Controls

Hydraulic (Lift and Tilt)	Dual Pedals
Control Option	SJC with 2 Speed
Auxiliary Hydraulics Type	Lateral movement ofRH drive lever

### Dimension

Length	89.1 in
Length without Attachment	89.1 in
Length with Standard Bucket	117 in
Width	47.2 in
Width (with bucket)	50 in
Height	74.1 in
Height with Operator Cab	74.1 in
Height to Bucket Hinge Pin	103.7 in
Reach @ Maximum Height	22.8 in
Turning Radius	72.9 in
Length of track on ground	51.1 in
Track Width	9.8 in
Ground Clearance	6.2 in
Standard Tracks	9.8 in
Dump Angle @ Maximum Height	41°



## Features

Joystick Control	X
Air Conditioning	<input type="checkbox"/>
Backup Alarm	<input checked="" type="checkbox"/>
BICS System (Interlock)	<input checked="" type="checkbox"/>
Cab Heater	X
Operating Lights	<input checked="" type="checkbox"/>
Suspension Seat	<input checked="" type="checkbox"/>
Two Speed Travel	X
Deluxe Instrumentation	X
Engine Shutdown	<input checked="" type="checkbox"/>
Hydraulic Bucket Positioning	X
High Flow Option	<input type="checkbox"/>
Auxiliary Hydraulics	<input checked="" type="checkbox"/>
Bob- Tach Attachment System *	<input checked="" type="checkbox"/>
Power Bob- Tach **	<input type="checkbox"/>
ACS (Switchable Controls)	<input type="checkbox"/>
Ride Control	<input type="checkbox"/>
Horn	<input checked="" type="checkbox"/>

Some specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.