



Contempo

Contempo adds elegance to modern designs through its elemental colours, smooth surfaces, clean lines, and linear feeling. This fluid stone system fits today's design trends perfectly, coursing out with Premier Plus sized Brick, and combines easily with the gracefully textured Granada for fresh, sophisticated options.



Stone: Contempo, Onyx
Clay Brick: Westville
Paver: Nueva Paver, Marble Grey

Contempo

Produced with RainBloc®.



Nueva® Collection

COLOURS

† = Stock Item Product.



POLAR WHITE
Sizes: Multi Bundle, PRP



DOVER
Sizes: Multi Bundle†, PRP



NICKEL
Sizes: Multi Bundle†, PRP



SHADOW
Sizes: Multi Bundle†, PRP



ONYX
Sizes: Multi Bundle†, PRP



SANDBAR
Sizes: Multi Bundle†



OLIVE
Sizes: Multi Bundle†



design idea!

Create a look that is truly your own. Consider mixing textures by combining Contempo and Granada!



CONTEMPO MULTI BUNDLE



Length 240 mm (9 1/2")
Height 57 mm (2 1/4")
Depth 90 mm (3 1/2")



Length 290 mm (11 3/8")
Height 57 mm (2 1/4")
Depth 90 mm (3 1/2")



Length 440 mm (17 3/8")
Height 57 mm (2 1/4")
Depth 90 mm (3 1/2")



Length 490 mm (19 1/4")
Height 57 mm (2 1/4")
Depth 90 mm (3 1/2")



Length 540 mm (21 1/4")
Height 57 mm (2 1/4")
Depth 90 mm (3 1/2")



Length 390 mm (15 3/8")
Height 124 mm (4 7/8")
Depth 90 mm (3 1/2")



Length 440 mm (17 3/8")
Height 124 mm (4 7/8")
Depth 90 mm (3 1/2")



Length 490 mm (19 1/4")
Height 124 mm (4 7/8")
Depth 90 mm (3 1/2")



Length 540 mm (21 1/4")
Height 124 mm (4 7/8")
Depth 90 mm (3 1/2")



Length 590 mm (23 1/4")
Height 124 mm (4 7/8")
Depth 90 mm (3 1/2")



Length 390 mm (15 3/8")
Height 190 mm (7 1/2")
Depth 90 mm (3 1/2")



Length 440 mm (17 3/8")
Height 190 mm (7 1/2")
Depth 90 mm (3 1/2")



Length 540 mm (21 1/4")
Height 190 mm (7 1/2")
Depth 90 mm (3 1/2")



Length 590 mm (23 1/4")
Height 190 mm (7 1/2")
Depth 90 mm (3 1/2")

CONTEMPO PRP



Length 257 mm (10 1/8")
Height 79 mm (3 1/8")
Depth 90 mm (3 1/2")

Note:

1. Concrete masonry veneer units that are 90mm (3.5") or less in height and produced as a single size will require more frequent control (movement) joint spacing. Refer to the NCMA TEK 10 series on movement control.
2. To ensure proper construction, please refer to your local Building Code(s), Standards and Industry Best Practices.
3. Brampton Brick Limited is not design responsible.

SPECIFICATIONS

CONTEMPO	Quantity/ Pallet	Weight/Piece (kg)	Weight/Piece (lbs)	Weight/Pallet (kg)	Weight/Pallet (lbs)	Coverage/ Pallet (m ²)	Coverage/ Pallet (ft ²)	Layers/Pallet
Contempo Multi Bundle	132	-	-	1,372	3,024	7.2	78	6 layers x 22 pieces
Contempo PRP (solid)	320	4.3	9.5	1,378	3,040	7.6	82	8 layers x 40 pieces

BramptonBrick.com

CA - 1.800.GO.BRICK (462.7425)

US - 1.844.GO.BRICK (462.7425)

Members of:



Product representations shown in this publication are intended to convey the general colour, texture and appearance of the product. Variations may occur in the manufacturing and printing process. Always select from an actual product sample.